


JOHN 5 GHOST TELECASTER® (0111052880)

PARTS LAYOUT



JOHN 5 GHOST TELECASTER® (0111052880)

PARTS LIST


REF#	DESCRIPTION	PART NUMBER
1	BODY JOHN 5 GHOST TELE	7716861580
2	NECK ASSY JOHN 5 GHOST TELE	7716862000
3	SCREW SMA 8 X 1-3/4 OHP NI	0015636049
4	KEY LOCKING POLISHED CHROME (3)	0990818100
5	WASHER KEY RED CHROME	7722253000
6	BUSHING KEY (6)	0058820049
7	STRING GUIDE AM STD W/HDWR	0994911000
8	SCREW SMAB 3 X 3/8 RHP STL NI	0011357049
9	PICKGUARD CNTRL PLATE JOHN 5 GHOST TELE	7722658000
10	SCREW SMAB 4 X 1/2 OHP NI	0015578049
11	PICKUP DIMARZIO D ACTIVATOR NECK	7717021000
12	SCREW MACH 3-48 X 1 RHP NI	7716117000
13	SPRING COMPRESS 1-1/16 #144 (12)	0018689049
14	CONTROL 500K A-TAPER SPLIT	0056244000
15	NUT HEX 3/8-32 X 3/32 NI	0016352049
16	WASHER LOCKING INTL 3/8 X .687 X .035 NI	0016436049
17	RED SPEED KNOB	7716915000
18	PUSH SWITCH WITH RED LED W/HDWR	7720236000
19	FERRULE JACK RECESS FOOTBALL CHR W/SCREWS	0050100049
20	JACK PHONE OPEN CIRCUIT 11	0021956049
21	WASHER FLAT 3/8 X .614 NI	0031153049
22	TELE BRIDGE HB P/U JOHN 5	7717691000
23	PICKUP DIMARZIO D ACTIVATOR BRIDGE	7717020000
24	SCREW MACH 3-48 X 1 RHP NI	7716117000
25	SPRING TELE BRIDGE BLACK	0018872000
26	SCREW WOOD 6 X 1 OHP NI (12)	0016188049
27	SWITCH TOGGLE 3-WAY RED/CHROME W/HDWR	7718069000
28	COVER SWITCH CAVITY TELESonic B/B/B	0053802000
29	FERRULE STRING RETAINER NI (6)	0994918000
30	STRAP BUTTONS STD/ELITE CHROME W/HDWR	0994914000
31	SCREW SMAB 5 X 1 OHP NI	0015610049
32	WASHERS FELT WHITE	0994930000
*	STRAP LOCKS W/BUTTONS	0990690000
*	WRENCH HEX KEY 1/16 (SADDLE HEIGHT ADJUST)	0021109049
*	WRENCH HEX KEY 1/8 (T-ROD ADJUSTMENT)	0023811049

*= NOT PICTURED IN DIAGRAM



JOHN 5 GHOST TELECASTER® (0111052880)


WIRING ASSEMBLY



JOHN 5 GHOST TELECASTER® (0111052880)

SWITCH AND CONTROL FUNCTION


3 	2 	1 	SWITCH POSITION
			NECK PICKUP
			BRIDGE PICKUP
PICKUP IS ON	PICKUP IS OFF	 1	



JOHN 5 GHOST TELECASTER® (0111052880)


ADDITIONAL SPECIFICATION DETAIL

FRET SIZE: JUMBO NARROW
(FRET DIMENSIONS ARE BEFORE INSTALLATION)




PLEASE NOTE: AS EACH NECK IS SANDED & FINISHED BY HAND, THICKNESS DIMENSIONS MAY VARY SLIGHTLY FROM THOSE SHOWN.

NECK PROFILE: JOHN 5




1ST FRET PROFILE




12TH FRET PROFILE


TUNING MACHINES : P/N 0990818100
OUTER SHAFT DIAMETER .394"




TUNING MACHINE THRU-HOLE
INNER DIAMETER .404"




SADDLE HEIGHT ADJUSTMENT WRENCH:
.1/16" HEX KEY P/N 0021109049



TRUSS ROD NUT: 0994943000
TRUSS ROD ADJUSTMENT WRENCH:
1/8" HEX KEY P/N 0023811049



LOGO: RED SPAGHETTI TELE
APPLIED UNDER THE FINISH



PICKUP SPECIFICATIONS

POSITION	MAGNETS	DC RESISTANCE	POLARITY
NECK	CERAMIC	6.92 - 7.52KΩ	NORTH SOUTH
BRIDGE	CERAMIC	11.11 - 11.71KΩ	NORTH SOUTH

